



## Spezialprofile



# KARSTEN STAHLHANDEL

Karsten kann's!

<b>Spezialprofile</b>	<b>Profil.Nr.</b>	<b>Abmessung mm</b>	<b>ca. kg/m</b>	<b>€ % kg</b>
<b>Winkelprofile scharfkantig, gleichschenklig</b>	88.548.0	10/10/2	0,28	279,00
	87.540.0	15/15/2	0,49	215,00
	81.502.0	15/15/3	0,62	179,00
	80.518.0	20/20/2	0,59	215,00
	00.115.0	20/20/3	0,86	168,00
	00.115.0	20/20/4	1,12	197,00
	80.519.0	25/25/2	0,75	207,00
	80.576.0	25/25/3	1,12	167,00
	00.119.0	25/25/4	1,45	196,00
	80.520.0	30/30/2	1,08	206,00
	80.577.0	30/30/3	1,32	166,00
	00.121.0	30/30/4	1,76	164,00
	80.540.0	35/35/3	1,58	165,00
	00.123.0	35/35/4	2,07	162,00
	82.523.0	40/40/3	1,81	163,00
	00.124.0	40/40/4	2,39	165,00
	00.124.0	40/40/5	2,91	162,00
	00.125.0	45/45/5	3,32	189,00
	80.578.0	50/50/3	2,25	156,00
	80.579.0	50/50/4	3,01	155,00
00.126.0	50/50/5	3,73	157,00	
85.511.0	60/60/3	2,81	195,00	
88.543.0	60/60/4	3,65	190,00	
00.129.0	60/60/5	4,43	175,00	
<b>Winkelprofile, scharfkantig, ungleichschenklig</b>	89.510.0	15/10/2	0,36	279,00
	89.550.0	20/10/2	0,45	269,00
	89.511.0	20/10/3	0,64	207,00
	89.514.0	20/14/3	0,73	207,00
	79.154.0	25/15/3	0,87	170,00
	79.147.0	30/16/3	1,02	205,00
	79.148.0	30/16/4	1,33	202,00
	80.521.0	30/20/3	1,11	163,00
	80.549.0	30/20/4	1,43	189,00
	79.042.0	35/20/3	1,16	168,00
	80.511.0	35/20/4	1,70	189,00
	83.503.0	40/20/3	1,34	163,00
	81.511.0	40/20/4	1,77	163,00
	80.522.0	40/25/3	1,50	162,00
	81.524.0	40/25/4	1,75	168,00
	80.523.0	40/30/3	1,60	188,00
	80.531.0	40/30/4	2,08	165,00
	80.524.0	45/30/3	1,77	164,00
	80.573.0	45/30/4	2,23	154,00
	00.203.0	45/30/5	2,71	165,00
	80.525.0	50/25/3	1,71	161,00
	80.532.0	50/25/4	2,25	158,00
	80.574.0	50/30/4	2,43	200,00
79.055.0	50/35/4	2,54	200,00	
20.212.0	50/40/4	2,70	181,00	
79.070.0	60/30/3	2,05	167,00	
<b>Winkelprofile, scharfkantig, ungleichschenklig</b>	79.071.0	60/30/4	2,70	181,00
	80.559.0	60/40/4	3,02	156,00
	79.082.0	80/40/4	3,65	174,00
<b>Winkelprofile, mit rundem</b>	35.044.0	30/3	1,30	0,00
	-	40/4	2,30	0,00



# KARSTEN STAHLHANDEL

Karsten kann's!


<b>Spezialprofile</b>	Profil.Nr.	Abmessung mm	ca. kg/m	€ % kg
<b>Rücken</b>	55.179.0	50/5	3,62	0,00
<b>Bodenbelag- Winkelprofile</b>	65.006.0	16/24/40/10/5	3,20	183,00
	65.007.0	20/30/50/10/5	4,12	173,00
	65.008.0	20/30/50/12/7	4,48	172,00
	65.009.0	20/30/50/14/7	5,50	172,00
	65.010.0	20/30/50/17/10	5,70	172,00
<b>Winkelähnliche Profil</b>	00.452.0	53/16/10/8	4,00	189,00
<b>Zierleiste (Rebstockprofil)</b>	62.318.0	12,5	0,95	
<b>Zierleiste (Vier- kant gehämmert)</b>	79.063.0	12	1,13	
	82.539.0	12	1,13	
	82.540.0	14	1,54	
<b>Handlauf- und Untergurtprofile in Stäben à 6 m</b>	81.548	20 x 8	1,26	
	81.548	25 x 8	1,57	
	81.549	40 x 8	2,50	
	81.605	40 x 8	2,50	
	81.614	40 x 8	2,50	
<b>Bund- und Rahmeneisen, weichgeglüht, in Stäben à 3 m</b>	81.513	16 x 3,8		
<b>Z-Profile, rundkantig</b>	80.510.0	25/16/16/3	1,20	gibt es nicht mehr
	01.150.0	30/38/38/4,5/4	3,39	188,00
	01.154.0	40/40/40/5/4,5	4,25	177,00
	89.539.0	48/50/25/4	3,65	gibt es nicht mehr
	01.156.0	50/43/43/5,5/5	5,30	177,00
	89.540.0	54/50/25/4	3,81	gibt es nicht mehr
	01.159.0	60/45/45/6/5	6,20	177,00
	71.234.0	80/50/50/7/6	8,70	177,00
	74.011.0	100/55/55/8/6,5	11,40	181,00
	70.007.0	120/60/60/9/7	14,30	184,00
	70.008.0	140/65/65/10/8	18,00	184,00
	70.009.0	160/70/70/11/8,5	21,60	184,00
		1. Maß = Höhe		
<b>Z-Profile, hochstegig, scharfkantig</b>	79.053.0	20/18/13/4	1,35	221,00
	80.510.0	25/16/16/3/3	1,20	221,00
	79.121.0	30/16/13/4	1,60	gibt es nicht mehr
	80.533.0	30/25/14/4	1,92	gibt es nicht mehr
	82.569.0	35/20/16/4	2,17	207,00
	80.542.0	35/30/18/3	1,82	205,00
	80.534.0	40/22/17/4	2,47	gibt es nicht mehr



# KARSTEN STAHLHANDEL

Karsten kann's!


Spezialprofile	Profil.Nr.	Abmessung mm	ca. kg/m	€ % kg
	90.501.0	40/35/25/3	2,22	202,00
	89.528.0	40/35/25/4	2,90	201,00
	01.141.0	45/25/20/5	3,14	gibt es nicht mehr
	89.539.0	48/50/25/4/4	3,65	197,00
	79.054.0	50/25/18/3	2,05	205,00
	01.146.0	50/30/25/5,5	4,06	gibt es nicht mehr
	89.540.0	54/50/25/4/4 1. Maß = Höhe	3,81	180,00
<b>Z-Profile, breitflansig, scharfkantig</b>	79.051.0	9/20/13/3	0,84	243,00
	79.098.0	16/25/25/3,5	1,62	220,00
	79.052.0	30/35/17/4 1. Maß = Höhe	2,32	206,00
<b>Feuerverzinkte U-Profile für Glasbausteine</b>	70.146.0	88/50/2	2,98	gibt es nicht mehr
	71.006.0	108/55/2	3,49	gibt es nicht mehr



# KARSTEN STAHLHANDEL

Karsten kann's!

Spezialprofile	Profil.Nr.	Abmessung mm	ca. kg/m	€ % kg
<b>U-Profile, scharfkantig</b>	72.183.0	24/15/2	0,79	242,00
	79.072.0	30/15/3	1,28	200,00
	80.527.0	30/25/4	2,27	200,00
	79.068.0	36/24/3	1,85	197,00
	05.040.0	41/20/5	2,79	200,00
	79.150.0	50/25/3	2,22	187,00
	80.536.0	50/30/4	3,21	160,00
<b>U-Profile, scharfkantig, innen rundkantig</b>	82.577.0	60/30/3/3	2,72	192,00
	79.074.0	60/30/4/4	3,55	193,00
	89.537.0	60/38/4/4	4,05	188,00
	89.546.0	70/45/4/4	5,50	198,00
	89.532.0	120/24/4/4	5,06	193,00
<b>Halbrund- und Flachhalbrund- Profile</b>	02.013.0	16/8	0,79	244,00
	02.017.0	20/10	1,22	207,00
	02.184.0	30/10	1,73	207,00
	02.027.0	30/15	2,75	201,00
	02.238.0	40/10	2,22	196,00
	02.037.0	40/20	4,92	201,00
	02.268.0	50/13	3,60	196,00
	02.042.0	50/25	7,65	196,00
	02.281.0	60/15	5,02	gibt es nicht mehr
	02.045.0	60/30	11,00	196,00
	60.101.0	75/37,5	17,30	196,00
<b>T-Profile, scharfkantig, gleichschenkelig</b>	00.614.0	20/20/3	0,88	211,00
	00.633.0	25/25/3	1,15	210,00
	00.658.0	30/30/3	1,34	gibt es nicht mehr
	00.660.0	30/30/4	1,78	167,00
	-	35/35/3,5	1,90	gibt es nicht mehr
	00.678.0	35/35/4,5	2,33	188,00
	00.691.0	40/40/3	1,88	gibt es nicht mehr
	00.692.0	40/40/4	2,39	gibt es nicht mehr
	00.694.0	40/40/5	3,06	147,00
	62.202.1	50/50/5	3,85	168,00
<b>T-Profile, scharfkantig, breitfüßig</b>	04.966.0	30/20/3	1,15	208,00
	03.984.0	40/20/3	1,36	206,00
	04.603.0	60/39/4	3,10	gibt es nicht mehr
<b>T-Profile, scharfkantig, mit versetztem Steg</b>	04.259.0	40/30/3/3/12,5	1,58	209,00
	06.156.0	50/35/4/4/12,5	2,55	202,00
	04.899.0	75/45/5/5/19,75	4,65	gibt es nicht mehr



# KARSTEN STAHLHANDEL

Karsten kann's!


Spezialprofile	Profil.Nr.	Abmessung mm	ca. kg/m	€ % kg
<b>T-Profile, rundkantig, breitfüßig</b>	00.689.0	40/20/4,5 (TB 20)	2,00	200,00
	00.706.0	50/25/5 (TB 25)	2,80	169,00
	00.726.0	60/30/7,5 (TB 30)	3,64	169,00
	00.859.0	70/35/6 (TB 40)	4,75	169,00
	00.740.0	80/40/7 (TB 40)	6,21	169,00
	71.035.0	100/50/8,5 (TB 50)	9,42	169,00
	70.011.0	120/60/10 (TB 60)	13,40	169,00
<b>U-Profile, rundkantig</b>	01.387.0	20/10/3/2,75	0,80	230,00
	79.116.0	20/15/2,5/2,5	0,90	229,00
	79.056.0	30/20/4/4	1,98	220,00
	79.073.0	35/25/4/4	2,43	217,00
	79.117.0	40/24/3,25/3,25	2,08	187,00
	79.032.0	45/27/3,25/3,25	2,38	194,00
	79.155.0	50/30/3,25/3,25	2,65	184,00
<b>Sonstige U-Profile</b>	79.046.0	70/25/3	2,69	256,00
<b>U-Profile, rundkantig</b>	57.170.0*	16/10,5/4/3	0,87	
	80.525.0	30/15/4/4,4	1,74	
	01.391.0	35/17,5/4,5/4,75	2,21	
	01.392.0	40/20/4/4	2,25	
	89.531.0*	80/25/3,5/3,5	3,40	
	89.541.0*	100/25/3,5/3,5	4,05	
	89.547.0	100/40/4/4	5,32	
	81.525.0	140/50/4/4	7,28	
	*innen scharfkantig			
<b>Rolladen-U-Profile innen und außen scharfkantig</b>	68.174.0	12/12,5/2	0,52	275,00
	68.184.0	12/20/1,5	0,54	260,00
	68.150.0	15/15/1,5	0,49	264,00
	68.176.0	15/20/1,5	0,60	264,00
	69.099.0	20/20/2	0,88	205,00
	80.541.0	20/20/2,5	1,08	193,00
	69.100.0	25/25/2	1,12	205,00
	79.118.0	25/25/2,5	1,38	189,00
	79.027.0	25/25/4	2,10	199,00
	79.024.0	28/40/2,75	2,23	260,00
	69.103.0	30/30/2	1,35	205,00
	79.075.0	30/30/2,5	1,67	188,00
	79.119.0	30/30/2,8	1,85	186,00
	79.076.0	33/33/2,75	2,03	186,00
	79.025.0	33/50/3,75	3,75	260,00
	79.026.0	36/36/3	2,40	184,00
	72.185.0	40/40/2	1,82	230,00
	79.120.0	40/40/3	2,69	184,00
	80.526.0	40/40/3,5	3,12	184,00
	79.031.0	50/50/4	4,46	181,00
71.088.0	60/55/5	6,29	181,00	
<b>U-Baustahlprofile</b>	-	30/30/3	1,87	127,00
	08.085.0	36/36/3	2,37	127,00



# KARSTEN STAHLHANDEL

Karsten kann's!

Spezialprofile	Profil.Nr.	Abmessung mm	ca. kg/m	€ % kg
	67.185.0	40/20/3	1,67	127,00
	67.123.0	40/25/3	1,88	127,00
	57.030.0	40/35 4	3,02	127,00
	50.100.0	40/40/3	2,47	127,00
	72.186.0	40/40/4	3,55	127,00
	56.096.0	46/45/3	2,95	127,00
	75.201.0	50/30/3	2,35	127,00
	59.125.0	50/40/4	3,67	127,00
	75.009.0	50/50/3	3,26	127,00
	49.090.0	50/50/4	4,38	127,00
	70.134.0	50/50/5	5,20	127,00
	36.295.0	54/45/4	4,11	127,00
	41.263.0	60/30/3	2,59	127,00
	50.052.0	60/40/3	3,10	127,00
	67.187.0	60/40/4	3,96	127,00
	09.618.0	62/45/4	4,53	127,00
	71.007.0	65/40/5	5,05	127,00
	70.100.0	65/50/5	5,83	127,00
	70.150.0	70/40/3	3,82	127,00
	09.301.0	70/50/4	4,93	127,00
	42.207.0	80/40/3	3,54	127,00
	74.127.0	80/40/4	4,54	127,00
	63.061.0	80/45/5	6,03	127,00
	35.101.0	80/50/4	5,32	127,00
	55.047.0	80/50/5	6,42	127,00
	70.144.0	80/50/6	7,55	127,00
	56.097.0	80/70/5	7,99	127,00
	56.182.0	90/50/5	6,81	127,00
	71.092.0	100/40/4	5,21	gibt es nicht mehr
	-	100/50/3	4,43	gibt es nicht mehr
	50.072.0	100/50/4	5,87	127,00
	55.048.0	100/50/5	7,22	127,00
	70.145.0	100/50/6	8,50	127,00
	70.149.0	100/70/6	10,30	127,00
	09.637.0	120/50/4	6,51	127,00
	70.153.0	120/55/6	9,92	127,00
	09.638.0	120/60/4	7,14	127,00
	70.142.0	120/60/6	10,40	127,00
	-	120/70/8	14,70	gibt es nicht mehr
	50.264.0	140/60/4	7,68	127,00
	70.143.0	140/60/6	11,30	127,00
	72.048.0	165/65/6	12,75	127,00
	-	160/65/7	14,40	127,00
	-	160/65/8	16,60	gibt es nicht mehr
	-	200/60/4	9,55	127,00
	-	200/80/4	10,81	127,00
	-	200/80/6	16,00	127,00
<b>Formkasten-U-Profil</b>	05.065.0	60/16/6/8	3,93	
<b>Gitterprofile (Hespenprofile)</b>	01.272.0	30/8/4/4,5	1,24	200,00
	05.022.0	40/13/5/7	2,25	183,00
<b>Bordwand- U-Profile</b>	08.058.0	20/20/1,5	0,67	137,00
	08.060.0	20/20/2	0,86	gibt es nicht mehr
	08.062.0	23/23/1,5	0,77	137,00



# KARSTEN STAHLHANDEL

Karsten kann's!

Spezialprofile	Profil.Nr.	Abmessung mm	ca. kg/m	€ % kg
	38.247.0	25/25/1,5	0,83	137,00
	-	25/25/2	1,10	gibt es nicht mehr
	38.247.0	28/28/1,5	0,94	
	08.071.0	30/30/1,5	1,01	137,00
	08.072.0	30/30/2	1,34	137,00
	08.087.0	40/40/2	1,81	gibt es nicht mehr
<b>Kiplagerprofil</b>	39.241.0	94 E 3	31,05	
<b>Bodenrahmen</b>	39.244.0	100 E 4	7,00	
	52.084.0	145 E 4a	10,35	
<b>Radreifenstahl</b>	58.170.0		2,35	150,00
<b>Scheuerleisten-Profil</b>	57.052.0	70/50/35/10/2,5	3,00	
	57.053.0	50/40/30/10/2	1,86	
<b>Kipper-Z-Profil</b>	49.019.0	45/30/62/4	4,46	
	57.050.0	40/31/45,5/3	2,83	
<b>C-Profile (Leichtbauprofile)</b> aus Bandstahl kaltprofilier	07.746.0	60/40/15/3	3,44	136,00
	07.747.0	80/40/15/3	4,19	136,00
	07.748.0	100/40/15/3	4,66	136,00
	07.749.0	120/40/15/3	5,13	136,00
	07.750.0	140/40/15/3	5,60	136,00
	07.751.0	160/40/15/3	6,08	136,00
	07.751.0	180/40/15/3	6,55	136,00
	75.130.0	200/40/15/3	7,02	136,00
	75.131.0	220/40/15/3	7,35	gibt es nicht mehr
<b>Markisen- und Trennwandprofile</b>	61.006.0	30/30/2,5/3	1,99	gibt es nicht mehr
	52.074.0	30/30/2	1,58	136,00
	52.105.0	30/30/14/2	2,02	gibt es nicht mehr
	55.166.1	27/12/7,5/2,5	1,00	230,00
<b>Fensterprofile</b>	53.200.0		0,98	
<b>Türrahmenhohlprofile</b>	08.004.0		4,85	
	08.005.0		4,95	
	08.006.0		2,03	
<b>Treppenschutz- schienen</b>	62.294.0		1,75	210,00
<b>Handleistenstahl</b>	03.091.0	40/18/8	3,30	154,00
	09.131.0	50/22,5/10	5,30	189,00





# KARSTEN STAHLHANDEL

Karsten kann's!

Spezialprofile	Profil.Nr.	Abmessung mm	ca. kg/m	€ % kg
Geländerprofile	70.030.1	F cm <sup>3</sup> 7,36	5,78	9,95 / m
		Jx cm <sup>4</sup> 6,16		
		Wx cm <sup>3</sup> 3,29		
		Jy cm <sup>4</sup> 1,27		
		Wy cm <sup>3</sup> 21,2		
	72 007 1	F cm <sup>3</sup> 7,35	5,77	9,95 / m
		Jx cm <sup>4</sup> 22,1		
		Wx cm <sup>3</sup> 7,00		
		Jy cm <sup>4</sup> 69,10		
		Wy cm <sup>3</sup> 17,3		
	55.047.0	F cm <sup>3</sup> 8,18	6,42	gibt es nich mehr
		Jx cm <sup>4</sup> 20,2		
		Wx cm <sup>3</sup> 5,99		
		Jy cm <sup>4</sup> 79,7		
		Wy cm <sup>3</sup> 19,9		



## Spezialprofile feuerverzinkt

ca. kg/m

€ % kg

Winkelstahl, scharfkantig, verzinkt			
	15/15/3	0,67	295,00
	50/25/3	1,80	279,00
Z-Stahl, verzinkt			
	40/35/25/4	3,05	329,00
	48/50/25/4	3,83	323,00
	54/50/25/4	4,00	329,00
Bordwand-U-Stahl, verzinkt			
	20/1,5	0,70	275,00
	23/1,5	0,81	275,00
	25/1,5	0,87	275,00
	28/1,5	0,99	275,00
	30/1,5	1,06	275,00
T-Stahl, breitfüßig, verzinkt			
	60/30/5,5	3,82	295,00
	80/40/7	6,52	295,00
	100/50/8,5	9,89	314,00
Bodenbelagswinkelstahl, verzinkt			
	20/30/50/10/5	4,33	295,00
	20/30/50/14/7	5,78	284,00
	20/30/50/17/10	5,99	281,00
U-Baustahl, verzinkt			
	50/50/4	4,77	239,00
	70/50/4	5,18	239,00
	80/50/5	6,74	239,00
	100/50/5	7,58	239,00
	120/60/6	10,92	239,00

Für die Geradheit von feuerverzinkten Profilen können wir gem. den Lieferbedingungen der Verzinkereien keine Gewähr übernehmen.